










| Memor X3 Models and Kits | |
|--|-----------|
| Kit, Memor X3, 802.11 a/b/g/n + BT, 256 MB RAM/512 MB Flash, 806 MHz, Multi-Purpose 2D Imager with Green Spot, Windows CE Pro 6.0. Includes Single Slot Dock, power supply, standard battery, tethered guitar pick, USB cable, lanyard, extensible stylus. | 944250022 |
| Kit, Memor X3, Batch, 128 MB RAM/512 MB Flash, 624 MHz, Multi-Purpose 2D Imager with Green Spot, Windows CE Core 6.0. Includes Single Slot Dock, power supply, standard battery, tethered guitar pick, USB cable. | 944250021 |
| Memor X3 Healthcare: 802.11a/b/g/n CCX V4, Bluetooth, 256 MB RAM/512 MB Flash, 806 MHz, 25-key Numeric, Multi-Purpose 2D Imager with Green Spot, Windows CE Pro 6.0, Extended Battery (2,300 mAh); White | 944250034 |
| Memor X3, 802.11 a/b/g/n CCX V4, Bluetooth, 128 MB RAM/512 MB Flash, 624 MHz, 25-key Numeric, Linear Imager with Green Spot, Windows CE Core 6.0 | 944250002 |
| Memor X3, 802.11 a/b/g/n CCX V4, Bluetooth, 256 MB RAM/512 MB Flash, 806 MHz, 25-key Numeric, Laser with Green Spot, Windows CE Pro 6.0 | 944250004 |
| Memor X3, 802.11 a/b/g/n CCX V4, Bluetooth, 256 MB RAM/512 MB Flash, 806 MHz, 25-key Numeric, Multi-Purpose 2D Imager with Green Spot, Windows CE Pro 6.0 | 944250006 |
| Memor X3, Batch, 128 MB RAM/512 MB Flash, 624 MHz, 25-key Numeric, Linear Imager with Green Spot, Windows CE Core 6.0. Power supply & International plugs included in the box. | 944250001 |
| Memor X3, Batch, 128 MB RAM/512 MB Flash, 624 MHz, 25-key Numeric, Multi-Purpose 2D Imager with Green Spot, Windows CE Core 6.0 | 944250011 |
| Memor X3, Batch, 256 MB RAM/512 MB Flash, 806 MHz, 25-key Numeric, Laser with Green Spot, Windows CE Pro 6.0 | 944250003 |





| BATTERIES/BATTERY CHARGERS | | |
|--|--|-----------|
|  | Alkaline Adapter with Enlarged Battery Cover. Suitable for new Memor Models: 944201014, 944201015, 944201016, 944201019, 944201022 | 94ACC1369 |
|  | Battery Charger, Four Slot Requires Power Supply 94ACC1324 and regionally appropriate plug adapter. Works with all Memor Batteries: 94ACC1367, 94ACC1368 | 94A151123 |
|  | Cover for Extended Battery, Memor X3 (5pcs) | 94ACC0108 |
| Cover for Standard Battery, Memor X3 (5pcs) | | 94ACC0107 |

| | | |
|--|---|-----------|
| Image: | Extended Battery Cover, MEMX3HC, Kit (5 pcs), White | 94ACC0149 |
|  | LARGE CAPACITY BATTERY FOR MEMOR X3 | 94ACC0084 |
|  | STANDARD BATTERY FOR MEMOR X3 | 94ACC0083 |

| CABLES | |
|--|-----------|
| Cable for dock-PC (RS232) communication | 94A051020 |
| Cable for PC (RS232) communication | 94A051022 |
| Cable from Micro USB (device or dock) to USB. Device works as client. 2m straight cable. | 94A051968 |
| Handylink quick-disconnect audio cable for VR12 headsets | 94A050037 |

| CASES/HOLSTERS | | |
|--|---|-----------|
|  | Handstrap for Rubber Boot, MemorX3. Kit of 5 pcs | 94ACC0123 |
|  | Holster, for Belt, + Swivel | 94ACC1268 |
|  | Rubber Boot,MemorX3. Can be used alone or with Handstrap 94ACC0123 (optional) | 94ACC0106 |
|  | Shoulder Strap for Softcase(5 pcs) | 94ACC1240 |







| | | |
|--|-----------------|-----------|
|  | Softcase, Memor | 94ACC1366 |
|--|-----------------|-----------|




| DOCKS | | |
|--|---|-----------|
|  | DOCK, ETHERNET SINGLE SLOT, MEMOR X3 | 94A150059 |
|  | DOCK, SINGLE SLOT, MEMOR X3 | 94A150058 |
| Dock, Single Slot, MEMX3-HC with aux. slot, White | | 94A150094 |
|  | Multi Charge Only Dock, recharges 4 terminals, no spare battery slots. Power supply included in the box. Power cord ordered separately. | 94A150060 |
|  | Multi Ethernet Dock, recharges 4 terminals, no spare battery slots. Power supply included in the box. Power cord ordered separately. | 94A150066 |

| EASEOFCARE AGREEMENTS | |
|--|-----------|
| Memor EofC 2 Days Comprehensive, 1 Year Renewal | ZSC2MEMC1 |
| Memor EofC 2 Days Comprehensive, 3 Years | ZSC2MEM31 |
| Memor EofC 2 Days Comprehensive, 5 Years | ZSC2MEM51 |
| Memor EofC 5 Days, 1 Year Renewal | ZSN5MEMC1 |
| Memor EofC 5 Days, 3 Years | ZSN5MEM31 |
| Memor EofC 5 Days, 5 Years | ZSN5MEM51 |
| Memor EofC Overnight Replacement Comprehensive, 1 Year Renewal | ZSC1MEMC1 |
| Memor EofC Overnight Replacement Comprehensive, 3 Years | ZSC1MEM31 |
| Memor EofC Overnight Replacement Comprehensive, 5 Years | ZSC1MEM51 |
| MEMOR INTERMEDIATE REPAIR CHARGE | ZR0MEMINT |

| | |
|---|-------------|
| MEMOR MAXIMUM REPAIR CHARGE | ZR0MEMMAX |
| MEMOR MINIMUM REPAIR CHARGE | ZR0MEMMIN |
| MEMOR X3 INTERMEDIATE REPAIR CHARGE | ZR0MEMX3NT |
| MEMOR X3 MAXIMUM REPAIR CHARGE | ZR0MEMX3MAX |
| MEMOR X3 MINIMUM REPAIR CHARGE | ZR0MEMX3MIN |
| MEMOR X3, EoC, 2 DAYS, 3 YEARS, COMPREHENSIVE | ZSC2MEMX331 |
| MEMOR X3, EoC, 2 DAYS, 5 YEARS, COMPREHENSIVE | ZSC2MEMX351 |
| MEMOR X3, EoC, 2 DAYS, RENEWAL, COMPREHENSIVE | ZSC2MEMX3R1 |
| MEMOR X3, EoC, 5 DAYS, 3 YEARS | ZSN5MEMX331 |
| MEMOR X3, EoC, 5 DAYS, 5 YEARS | ZSN5MEMX351 |
| MEMOR X3, EoC, 5 DAYS, RENEWAL | ZSN5MEMX3R1 |
| MEMOR X3, EoC, OVERNIGHT, 3 YEARS, COMPREHENSIVE | ZSC1MEMX331 |
| MEMOR X3, EoC, OVERNIGHT, 5 YEARS, COMPREHENSIVE | ZSC1MEMX351 |
| MEMOR X3, EoC, OVERNIGHT, RENEWAL, COMPREHENSIVE | ZSC1MEMX3R1 |
| Single Dock EofC 2 Days Comprehensive, 1 Year Renewal | ZSC21SDC1 |
| Single Dock EofC 2 Days Comprehensive, 3 Years | ZSC21SD31 |
| Single Dock EofC 2 Days Comprehensive, 5 Years | ZSC21SD51 |
| Single Dock EofC 5 Days, 1 Year Renewal | ZSN51SDC1 |
| Single Dock EofC 5 Days, 3 Years | ZSN51SD31 |
| Single Dock EofC 5 Days, 5 Years | ZSN51SD51 |
| Single Dock EofC 5 Days, Annual | ZSN51SD11 |
| Single Dock EofC Overnight Replacement Comprehensive 1 Year Renewal | ZSC11SDC1 |
| Single Dock EofC Overnight Replacement Comprehensive 3 Years | ZSC11SD31 |
| Single Dock EofC Overnight Replacement Comprehensive 5 Years | ZSC11SD51 |
| Single Slot Ethernet Dock EofC 2 Days Comprehensive, 1 Year Renewal | ZSC21ETC1 |
| Single Slot Ethernet Dock EofC 2 Days Comprehensive, 3 Years | ZSC21ET31 |
| Single Slot Ethernet Dock EofC 2 Days Comprehensive, 5 Years | ZSC21ET51 |
| Single Slot Ethernet Dock EofC 5 Days, 1 Year Renewal | ZSN51ETC1 |

| | |
|--|-----------|
| Single Slot Ethernet Dock EofC 5 Days, 3 Years | ZSN51ET31 |
| Single Slot Ethernet Dock EofC 5 Days, 5 Years | ZSN51ET51 |
| Single Slot Ethernet Dock EofC 5 Days, Annual | ZSN51ET11 |
| Single Slot Ethernet Dock EofC Overnight Replacement Comprehensive 3 Years | ZSC11ET31 |
| Single Slot Ethernet Dock EofC Overnight Replacement Comprehensive 5 Years | ZSC11ET51 |
| Single Slot Ethernet Dock EofC Overnight Replacement Comprehensive, 1 Year Renewal | ZSC11ETC1 |

| MISCELLANEOUS | | |
|--|---|-----------|
|  | Fingerstrap for Memor X3 (5pcs) | 94ACC0111 |
|  | Guitar Pick Stylus for MemorX3, with cord (5pcs) | 94ACC0109 |
|  | Headset, Memor basic headset | 94ACC1365 |
|  | Lanyard for MemorX3, with stylus holder (10pcs) | 94ACC0110 |
|  | Lanyard, MEMX3-HC, Kit (10 pcs), White | 94ACC0150 |
|  | Stylus, Telescopic, pen for touch screen (10 pcs) | 94ACC1328 |

| MOUNTS/STANDS | | |
|--|--|-----------|
|  | RAM Mount Kit 5.75in Arm, 1.5in Base, 1.5in Base Clamp 7.5in Total for PVD | 95ACC1030 |
|  | RAM Mount, 3.5in Arm, with (2) 1.5 inch RAM ball mounts Bundled 4.75in Total for PVD | 95ACC1048 |
|  | RAM Mount, 5.75in Arm, with (2) 1.5 inch RAM ball mounts Bundled 7.5in Total for PVD | 95ACC1047 |

| POWER SUPPLIES/CORDS | |
|---|-----------|
| Adapter, Australian plug | 94ACC1334 |
| Adapter, European plug | 94ACC1339 |
| Adapter, UK plug | 94ACC1335 |
| Power Cord, 2-Pin, EU | 90ACC1885 |
| Power Cord, 2-Pin, UK | 90ACC1887 |
| Power Cord, 2-Pin, US | 90ACC1886 |
| Power Supply Connection to the Memor directly or through the cradle | 94ACC1324 |

| SOFTWARE | |
|---|--------------|
| Cloud Hosting fee per device/year. Must be purchased along with Cloud Subscription (ZSSOTIMCLDEV) Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCLDHS |
| Cloud subscription per device/year. Requires Cloud Hosting (ZSSOTIMCLDHS). Includes standard support. Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCLDEV |
| DATALOGIC-STAYLINKED MULTI SMART TE ANNUAL MAINTENANCE | 94A101124 |
| DATALOGIC-STAYLINKED MULTI SMART TE LICENSE WITH 1 YEAR MAINTENANCE | 94A101123 |
| DATALOGIC-STAYLINKED SINGLE SMART TE ANNUAL MAINTENANCE | 94A101122 |
| DATALOGIC-STAYLINKED SINGLE SMART TE LICENSE WITH 1 YEAR MAINTENANCE | 94A101121 |

| | |
|---|-----------------|
| Fee paid per year for instances below a threshold (75 licenses) Only for cloud (ZSSOTIMCLDEV). Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCLDEF |
| MCL Client License - 1 User | 94A101041 |
| MCL Client License - 10 Users | 94A101042 |
| MCL Client License - 50 Users | 94A101044 |
| MCL Link - 1 Port | 94A101021 |
| MCL Link - 4 Multicom ports | 94A101022 |
| MCL Link - 8 Multicom ports | 94A101023 |
| MCL Net - 5 Users | 94A101024 |
| MCL-NET (+5 USERS) | 94A101030 |
| MCL-NET (25 USERS) | 94A101025 |
| MCL-PARALLEL HARDWARE KEY | 94ACC1281 |
| MCL-USB HARDWARE KEY | 94ACC1280 |
| MOBICONTROL " PERPETUAL LICENSE (premise). One time charge does not include support. Min qty for New Instances is 10 licenses. Min qty for add on to an existing instance is 5 licenses. Currently available from Datalogic/SOTI authorized distributors only | 94ACC0179 |
| MobiControl Advantage Support (per year). 24/7 support. Max 6 hours support response window. Add-on on top of standard support. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCXDEVADV |
| MobiControl Enterprise Support (per year). 24/7 support + dedicated technical advisor. Add-on on top of standard support. Required for all opportunities of 3,000 devices or more. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCXDEVENT |
| MobiControl Standard Support (per year). Must be purchased with the perpetual license (but included with ZSSOTIMCSDEV and ZSSOTIMCLDEV). Max 48 hrs support response window. Currently available from Datalogic/SOTI authorized distributors only | ZSSOTIMCPMNT |
| SaaS subscription locally hosted by the customer (on premise). Includes standard support. Per device/year. Currently available from Datalogic/SOTI authorized distributors only. | ZSSOTIMCSDEV |
| Wavelink 4-in-1 TN Client for Datalogic devices only - 1 yr Maintenance, WL # 120-MA-GENTN4 | ZSS5TNC41 |
| Wavelink 4-in-1 TN Client for Datalogic devices only, with 1st yr maintenance (for non-prelicensed devices) - License, WL # 120-LI-GENTN4 | 95A101129 |
| Wavelink Avalanche for Datalogic devices only - 1 yr Maintenance, WL # 310-MA-AVH1AD | ZSS5AVMD1 |
| Wavelink Industrial Browser - 1 yr Maintenance, WL # 120-MA-WIBST0 | ZSS5IBS01 |
| Wavelink Industrial Browser - License, WL # 120-LI-WIBST0 | 95A101119 |
| Wavelink Remote Control & SecurePlus Combo Add-on for Avalanche - License, WL # 310-LI-AVRCCS | 95A101116 |
| Wavelink Remote Control & SecurePlus Combo Add-on for Avalanche- 1yr Maintenance, WL # 310-MA-AVRCCS | ZSS5AVRC2 |
| Wavelink Remote Control Add-on for Avalanche - 1 yr Maintenance, WL # 310-MA-AVRC10 | ZSS5AVRC1 |

| | |
|---|-----------|
| Wavelink Remote Control Add-on for Avalanche - License, WL # 310-LI-AVRC10 | 94A101075 |
| Wavelink Speakeasy Voice Plugin for TN/WIB - 1 yr Maintenance, WL # 130-MA-VPTNAD | ZSS5SPVP1 |
| Wavelink Speakeasy Voice Plugin for TN/WIB - License, WL # 130-LI-VPTNAD | 95A101123 |
| Wavelink Studio COM Client (1 Additional User) - 1 yr Maintenance, WL # 110-MA-STCU30 | ZSS5SCC01 |
| Wavelink Studio COM Client (1 Additional User) - License, WL # 110-LI-STCU30 | 95A101021 |
| Wavelink Studio COM Server (includes 1 client license) - 1 yr Maintenance, WL # 110-MA-STCS30 | ZSS5SCS01 |
| Wavelink Studio COM Server (includes 1 client license) - License, WL # 110-LI-STCS30 | 95A101020 |
| Wavelink Velocity CE - 1 yr Maintenance, WL # 140-MA-VELOCC | ZSS5VEL01 |
| Wavelink Velocity CE - License, WL # 140-LI-VELOCC | 95A101133 |